



ALTERNATIVE OPTION - BASEMENT PLAN
1:100

OLM

CONSULTANCY

FD 60s

Fire resisting doors to have not less than 60 minutes integrity rating in accordance with BS 476 Part 8, 2022 and comply with BS 7171 Section 3.1.1. Details are required by the manufacturer to provide a minimum of resistance for resistance.

FD 30s

Fire resisting doors to have not less than 30 minutes integrity rating in accordance with BS 476 Part 8, 2022 and comply with BS 7171 Section 3.1.1. Details are required by the manufacturer to provide a minimum of resistance for resistance.

Travel Distance 4.2m

Travel Distance 4.2m

TRAVEL DISTANCES

Travel Distance 4.2m

PROPOSED NEW RESIDENTIAL DEVELOPMENT AT NO. 51 & 53 TERENCE ROAD WEST

CLIENT
MR THOMAS DURKAN

DRAWN BY
ANTHONY REDDY

DATE
10/03/2022

SCALE
1:100

NO. DRAWINGS
04-160

NO. SHEETS
8.0, 103

8.0 CONSTRUCTION

DETAIL NAME
04-160

DETAIL SCALE
8.0, 103

ANTHONY REDDY
ARCHITECTS
100-102, TERENCE ROAD
DUBLIN 15
TEL: 01-856 52 82
WWW.ANTHONYREDDY.COM