

SECTION DETAIL 3 SCALE 1:5



25mm Solid White Oak window board

Insulation fitted between treated timber grounds @ 600mmc/c and fixed to top of conc cill support

110mm Kingspan Kooltherm K8 Plus partial fill cavity insulation board

SECTION DETAIL 4 SCALE 1:5

75mm Concrete screed

40mm Perimeter Insulation

Vapour Barrier

150mm Kingspan Kooltherme K3

Necoflex Monarflex radon membrane

150mm Concrete slab to engineers specification

50mm sand bind

300mm Compacted Hardcore to S/E Spec

 $\checkmark$ .

 $\neg \Delta$ 

 $\langle \rangle$ 

Insitu concrete cill to engineers design and specification

SECTION DETAIL 5 SCALE 1:5

Pro clima contega solido SL tape (refer manufacturer's manual for installation)

Lintol to Engineers Detail

## FOR CONSTRUCTION

PROJECT TITLE :	PROPOSED DEVELOPMENT at SWISS COTTAGE,
	ENNISKERRY, COUNTY WICKLOW
PROJECT No. :	IFA-2403
DATE :	17.06.2024
SCALE:	1:5
DRAWN BY:	IF
DRAWING TITLE:	DETAIL SHEET 2

